

according to Regulation (EC) No 1907/2006

## **Proguard CN 200 Part A**

Revision date: 05.11.2019 Page 1 of 14

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Proguard CN 200 Part A

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Coatings and paints, fillers, putties, thinners

#### Uses advised against

No information available.

### 1.3. Details of the supplier of the safety data sheet

Company name: Chesterton International GmbH

Street: Am Lenzenfleck 23

Place: DE-85737 Ismaning GERMANY

Telephone: +49 89 99 65 46 - 0 Telefax: +49 89 99 65 46 - 50

e-mail: eu-sds@chesterton.com
e-mail (Contact person): eu-sds@chesterton.com
Internet: www.chesterton.com
Responsible Department: eu-sds@chesterton.com

**1.4. Emergency telephone** +49(0) 551 - 1 92 40 (GIZ-Nord, 24h)

number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:
Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
Toxic to aquatic life with long lasting effects.

# 2.2. Label elements

## Regulation (EC) No. 1272/2008

### Hazard components for labelling

bis-[4-(2,3-epoxipropoxi)phenyl]propane

Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and [2-({ 2-[4-

(oxiran-2-ylmethoxy)benzyl]phenoxy} methyl)oxirane and [2,2'-

[methylenebis(2,1-phenyleneoxymethylene)]dioxirane

2,2'-[hexane-1,6-diylbis(oxymethylene)]dioxirane



according to Regulation (EC) No 1907/2006

## **Proguard CN 200 Part A**

Revision date: 05.11.2019 Page 2 of 14

Signal word: Warning

Pictograms:





#### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

## **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

### Special labelling of certain mixtures

EUH205 Contains epoxy constituents. May produce an allergic reaction.

### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures



according to Regulation (EC) No 1907/2006

## **Proguard CN 200 Part A**

Revision date: 05.11.2019 Page 3 of 14

#### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•	•		
1675-54-3	bis-[4-(2,3-epoxipropoxi)phenyl]propane				
	216-823-5	603-073-00-2			
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H315 H319 H317 H411				
	Reaction mass of 2,2'-[methylenebi (oxiran-2-ylmethoxy)benzyl]phenox [methylenebis(2,1-phenyleneoxyme	irane and [2-({ 2-[4-	10 - < 25 %		
	701-263-0				
	Skin Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H315 H317 H411				
933999-84-9	2,2'-[hexane-1,6-diylbis(oxymethyle		1 - < 5 %		
	618-939-5		01-2119463471-41		
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Aquatic Chronic 3; H315 H319 H317 H412				

Full text of H and EUH statements: see section 16.

## **Further Information**

No information available.

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Change contaminated, saturated clothing. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## After inhalation

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Seek medical advice immediately. Do not wash with: Solvents/Thinner

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

### 4.3. Indication of any immediate medical attention and special treatment needed



according to Regulation (EC) No 1907/2006

## **Proguard CN 200 Part A**

Revision date: 05.11.2019 Page 4 of 14

First Aid, decontamination, treatment of symptoms.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Dry extinguishing powder. Carbon dioxide (CO2). alcohol resistant foam. Water spray jet

#### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx)

#### 5.3. Advice for firefighters

Special protective equipment for firefighters Protective clothing. In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

Provide adequate ventilation.

Personal protection equipment: see section 8

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Cover drains.

# 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

See protective measures under point 7 and 8.

Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

See section 8. Wear personal protection equipment (refer to section 8). Keep container tightly closed.

### Advice on protection against fire and explosion

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep/Store only in original container.

#### Hints on joint storage

Keep away from:



according to Regulation (EC) No 1907/2006

# **Proguard CN 200 Part A**

Revision date: 05.11.2019 Page 5 of 14

Food and feedingstuffs Oxidising agent

## Further information on storage conditions

Keep away from:

Frost

Heat

Humidity

## 7.3. Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# Proguard CN 200 Part A

Revision date: 05.11.2019 Page 6 of 14

### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
1675-54-3	bis-[4-(2,3-epoxipropoxi)phenyl]propane			
Worker DNEL,	long-term	inhalation	systemic	4,93 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,75 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	0,87 mg/m³
Consumer DNE	EL, long-term	dermal	systemic	0,0893 mg/kg bw/day
Consumer DNE	L, long-term	oral	systemic	0,5 mg/kg bw/day
	Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymet (oxiran-2-ylmethoxy)benzyl]phenoxy} methyl)oxirane and [imethylenebis(2,1-phenyleneoxymethylene)]dioxirane		2-({ 2-[4-	
Worker DNEL,	long-term	inhalation	systemic	29,39 mg/m³
Worker DNEL,	long-term	dermal	systemic	104,15 mg/kg bw/day
Worker DNEL,	long-term	inhalation	local	0,0083 mg/m³
Consumer DNE	EL, long-term	inhalation	systemic	8,7 mg/m³
Consumer DNEL, long-term		dermal	systemic	62,5 mg/kg bw/day
Consumer DNE	EL, long-term	oral	systemic	6,25 mg/kg bw/day
933999-84-9	2,2'-[hexane-1,6-diylbis(oxymethylene)]dioxirane			
Worker DNEL,	long-term	inhalation	systemic	10,57 mg/m³
Worker DNEL,	acute	inhalation	systemic	10,57 mg/m³
Worker DNEL,	long-term	inhalation	local	0,44 mg/m³
Worker DNEL,	long-term	dermal	systemic	6 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	5,29 mg/m³
Consumer DNEL, acute		inhalation	systemic	5,29 mg/m³
Consumer DNEL, long-term		inhalation	local	0,27 mg/m³
Consumer DNEL, long-term		dermal	systemic	3 mg/kg bw/day
Consumer DNE	Consumer DNEL, acute		systemic	1,7 mg/kg bw/day
Consumer DNE	EL, long-term	oral	systemic	1,5 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	1,5 mg/kg bw/day



according to Regulation (EC) No 1907/2006

# **Proguard CN 200 Part A**

Revision date: 05.11.2019 Page 7 of 14

### **PNEC** values

CAS No	Substance			
Environmenta	al compartment	Value		
1675-54-3	bis-[4-(2,3-epoxipropoxi)phenyl]propane			
Freshwater		0,006 mg/l		
Freshwater (i	ntermittent releases)	0,018 mg/l		
Marine water		0,001 mg/l		
Freshwater se	ediment	0,341 mg/kg		
Marine sedim	ent	0,034 mg/kg		
Secondary po	pisoning	11 mg/kg		
Micro-organis	sms in sewage treatment plants (STP)	10 mg/l		
Soil		0,065 mg/kg		
Freshwater	(oxiran-2-ylmethoxy)benzyl]phenoxy} methyl)oxirane and [2,2'- [methylenebis(2,1-phenyleneoxymethylene)]dioxirane	0,003 mg/l		
Freshwater se	ediment	0,294 mg/kg		
Marine sediment		0,029 mg/kg		
Soil		0,237 mg/kg		
933999-84-9	2,2'-[hexane-1,6-diylbis(oxymethylene)]dioxirane			
Freshwater		0,011 mg/l		
Freshwater (intermittent releases)		0,115 mg/l		
Marine water		0,001 mg/l		
Freshwater sediment		0,283 mg/kg		
Marine sediment		0,028 mg/kg		
Micro-organisms in sewage treatment plants (STP)		1 mg/l		
Soil	Soil   0,223 m			

## 8.2. Exposure controls

## Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

## Protective and hygiene measures

Work in well-ventilated zones or use proper respiratory protection. Only wear fitting, comfortable and clean protective clothing. Avoid contact with skin, eyes and clothes. Wash hands and face before breaks and after work and take a shower if necessary.

## Eye/face protection

Suitable eye protection: Eye glasses with side protection goggles



according to Regulation (EC) No 1907/2006

## **Proguard CN 200 Part A**

Revision date: 05.11.2019 Page 8 of 14

#### Hand protection

Suitable gloves type: NBR (Nitrile rubber) EN ISO 374, Butyl caoutchouc (butyl rubber) EN ISO 374 Wear cotton undermitten if possible.

### Skin protection

Protective clothing

### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Combination filtering device (EN 14387) A-P3

Self-contained respirator (breathing apparatus) (DIN EN 133)

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: ref. to label

pH-Value: No data available

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

No data available

Pour point:

No data available

No data available

No data available

Flash point:

~65 °C

**Flammability** 

Solid: No data available
Gas: No data available

**Explosive properties** 

No information available.

Lower explosion limits:

Upper explosion limits:

No data available

No data available

Ignition temperature:

No data available

**Auto-ignition temperature** 

Solid: No data available
Gas: No data available
Decomposition temperature: No data available

**Oxidizing properties** 

No information available.



according to Regulation (EC) No 1907/2006

**Proguard CN 200 Part A** 

Revision date: 05.11.2019 Page 9 of 14

Vapour pressure:

Density (at 23 °C):

Water solubility:

No data available

~1,65 g/cm³

No data available

Solubility in other solvents

No information available.

Partition coefficient:

Viscosity / dynamic:

No data available

~4500 mPa·s

Vapour density:

Evaporation rate:

No data available

No data available

9.2. Other information

(at 23 °C)

No information available.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

### 10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Oxidising agent

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

## 10.5. Incompatible materials

Acid, Oxidising agent

# 10.6. Hazardous decomposition products

Does not decompose when used for intended uses. No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

# **Proguard CN 200 Part A**

Revision date: 05.11.2019 Page 10 of 14

## **Acute toxicity**

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
1675-54-3	bis-[4-(2,3-epoxipropoxi)phenyl]propane					
	oral	LD50 19800 mg/kg	Rabbit	Publication (1958)	Rabbits were orally gavaged with test ma	
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2007)	OECD Guideline 402	
933999-84-9	2,2'-[hexane-1,6-diylbis(oxymethylene)]dioxirane					
	oral	LD50 3010 mg/kg	Rat	Study report (1981)	OECD Guideline 401	

# **SECTION 12: Ecological information**

## 12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
1675-54-3	bis-[4-(2,3-epoxipropoxi)phenyl]propane						
	Acute fish toxicity	LC50	3,6 mg/l	96 h	Oncorhynchus mykiss	Study report (1982)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	Study report (2007)	OECD Guideline 201
	Acute crustacea toxicity	EC50	2,8 mg/l	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202
	Crustacea toxicity	NOEC	0,3 mg/l	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211
933999-84-9	2,2'-[hexane-1,6-diylbis(oxymethylene)]dioxirane						
	Acute fish toxicity	LC50 mg/l	ca. 30	96 h	Oncorhynchus mykiss	Study report (1990)	OECD Guideline 203
	Acute crustacea toxicity	EC50 ca. 57 mg/l	ca. 39 -	48 h	Daphnia magna	Study report (1989)	OECD Guideline 202

## 12.2. Persistence and degradability

No information available.

# 12.3. Bioaccumulative potential

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
1675-54-3	bis-[4-(2,3-epoxipropoxi)phenyl]propane	>= 2,64
933999-84-9	2,2'-[hexane-1,6-diylbis(oxymethylene)]dioxirane	ca. 0,822



according to Regulation (EC) No 1907/2006

## Proguard CN 200 Part A

Revision date: 05.11.2019 Page 11 of 14

### **BCF**

CAS No	Chemical name	BCF	Species	Source
1675-54-3	bis-[4- (2,3-epoxipropoxi)phenyl]propane	31		Study report (2010)
933999-84-9	2,2'- [hexane-1,6-diylbis(oxymethylene)]dioxi rane	3,57		Publication (2009)

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

# **Disposal recommendations**

Dispose of waste according to applicable legislation.

### Contaminated packaging

Dispose of waste according to applicable legislation.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(epoxy resin)

14.3. Transport hazard class(es):914.4. Packing group:III

Hazard label: 9
Classification code: M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 90
Tunnel restriction code: -

Inland waterways transport (ADN)

**14.1. UN number:** UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(epoxy resin)

14.3. Transport hazard class(es): 9



according to Regulation (EC) No 1907/2006

Proguard CN 200 Part A

Revision date: 05.11.2019 Page 12 of 14

14.4. Packing group:IIIHazard label:9Classification code:M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

**14.1. UN number:** UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(epoxy resin)

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9Marine pollutant:P

Special Provisions: 274, 335, 969

Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-F

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(epoxy resin)

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9

Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A97 A158 A197

30 kg G

Y964

Excepted quantity:

E1

IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L
IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 450 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes

Danger releasing substance: epoxy resin

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.



according to Regulation (EC) No 1907/2006

## **Proguard CN 200 Part A**

Revision date: 05.11.2019 Page 13 of 14

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulatory information

Information according to 2012/18/EU

E2 Hazardous to the Aquatic Environment

(SEVESO III):

**National regulatory information** 

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

bis-[4-(2,3-epoxipropoxi)phenyl]propane

Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and [2-({ 2-[4-

(oxiran-2-ylmethoxy)benzyl]phenoxy} methyl)oxirane and [2,2'-

[methylenebis(2,1-phenyleneoxymethylene)]dioxirane

2,2'-[hexane-1,6-diylbis(oxymethylene)]dioxirane

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,3.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID:Règlement international conernat le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Refulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%



according to Regulation (EC) No 1907/2006

## **Proguard CN 200 Part A**

Revision date: 05.11.2019 Page 14 of 14

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

### Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

EUH205 Contains epoxy constituents. May produce an allergic reaction.

#### **Further Information**

This information is based solely on data privided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose.

The user must make their own determination as to suitability.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)